Author Index

Affonso, H.T., see Briones, M.R.S., 121 Allen, T., see Henderson, D.M., 169 Alonso, C., see Requena, J.M., 201 Assiego, R., see Requena, J.M., 201

Babiker, H.A., see Foley, M., 241

Bakker-Grunwald, T. and Geilhorn, B., Sulfate metabolism in Entamoeba histolytica, 71

Barbet, A.F., see Kamper, S.M., 33 Barsuhn, C.L., see Sims, S.M., 135

Baumeister, S., Dennis, R.D., Kunz, J., Wiegandt, H. and Geyer, E., Comparative serological reactivity of *Taenia* crassiceps, *Taenia solium* and *Taenia saginata* metacestode neutral glycolipids to infection serum from *Taenia* crassiceps-infected mice, 53

Beverley, S.M., see Briones, M.R.S., 121

Blackburn, C.C. and Selkirk, M.E., Characterisation of the secretory acetylcholinesterases from adult Nippostrongylus brasiliensis, 79

Blum, J.J., see Keegan, F.P., 193

Briones, M.R.S., Nelson, K., Beverley, S.M., Affonso, H.T., Camargo, E.P. and Floeter-Winter, L.M., Leishmania tarentolae taxonomic relatedness inferred from phylogenetic analysis of the small subunit ribosomal RNA gene, 121

Camargo, E.P., see Briones, M.R.S., 121
Camus, D., see Debrabant, A., 89
Carrington, M., see Hall, R., 105
Carter, N.S., see Fairlamb, A.H., 213
Chaiyaroj, S.C., see Rosenbergh, R., 129
Costello, M., see Edwards, M.R., 97
Coulter-Karis, D.E., see Henderson, D.M., 169
Crary, J.L. and Haldar, K., Brefeldin A inhibits protein secretion and parasite maturation in the ring stage of Plasmodium falciparum, 185
Cunningham, M., see Fairlamb, A.H., 213

Dame, J.B., see Mishra, V.S., 149

Debrabant, A., Maes, P., Delplace, P., Dubremetz, J.-F., Tartar, A. and Camus, D., Intramolecular mapping of *Plasmodium falciparum* P126 proteolytic fragments by N-terminal amino acid sequencing, 89

Delplace, P., see Debrabant, A., 89 Dennis, R.D., see Baumeister, S., 53 dos Reis, M.G., see Shoemaker, C.B., 17 Dubremetz, J.-F., see Debrabant, A., 89

Edwards, M.R., Schofield, P.J., O'Sullivan, W.J. and Costello, M., Arginine metabolism during culture of Giardia intestinalis, 97

Eschenbacher, K.-H., Sommer, I., Meyer, H.E., Mehlhorn, H. and Rüger, W., Cloning and expression in *Escherichia coli* of cDNAs encoding a 31-kilodalton surface antigen of *Sarcocystis muris*, 159

Fairlamb, A.H., Carter, N.S., Cunningham, M. and Smith, K., Characterisation of melarsen-resistant *Trypanosoma brucei* brucei with respect to cross-resistance to other drugs and trypanothione metabolism, 213

Fairlamb, A.H., Smith, K. and Hunter, K.J., The interaction of arsenical drugs with dihydrolipoamide and dihydrolipoamide dehydrogenase from arsenical resistant and sensitive strains of *Trypanosoma brucei brucei*, 223 Fesus, L., see Mehta, K., 1
Floeter-Winter, L.M., see Briones, M.R.S., 121
Foley, M., Ranford-Cartwright, L.C. and Babiker, H.A.,
Rapid and simple method for isolating malaria DNA from

Geary, T.G., see Sims, S.M., 135 Geilhorn, B., see Bakker-Grunwald, T., 71 Geyer, E., see Baumeister, S., 53 Gomes, R.F., see Macedo, A.M., 63 Greenberg, M.L., see Henderson, D.M., 169

fingerprick samples of blood, 241

Haldar, K., see Crary, J.L., 185
Hall, R., Hunt, P.D., Carrington, M., Simmons, D., Williamson, S., Mecham, R.P. and Tait, A., Mimicry of elastin repetitive motifs by *Theileria annulata* sporozoite surface antigen, 105

Hanson, S., see Henderson, D.M., 169 Hedstrom, R.C., see Rogers, W.O., 45

Henderson, D.M., Hanson, S., Allen, T., Wilson, K., Coulter-Karis, D.E., Greenberg, M.L., Hershfield, M.S. and Ullman, B., Cloning of the gene encoding *Leishmania donovani S*-adenosylhomocysteine hydrolase, a potential target for antiparasitic chemotherapy, 169

Hershfield, M.S., see Henderson, D.M., 169

Ho, N.F.H., see Sims, S.M., 135 Hoffman, S.L., see Rogers, W.O., 45 Hunt, P.D., see Hall, R., 105 Hunter, K.J., see Fairlamb, A.H., 223

Jimenez-Ruiz, A., see Requena, J.M., 201

Kamper, S.M. and Barbet, A.F., Surface epitope variation via mosaic gene formation is potential key to long-term survival of *Trypanosoma brucei*, 33

Kangsadalampai, S., see Rosenbergh, R., 129

Keegan, F.P. and Blum, J.J., Utilization of a carbohydrate reserve comprised primarily of mannose by *Leishmania* donovani, 193

Kumar, N. and Wizel, B., Further characterization of interactions between gamete surface antigens of *Plasmo-dium falciparum*, 113

Kunz, J., see Baumeister, S., 53 Kusel, J.R., see Sands, W.A., 233

Landa, A., see Shoemaker, C.B., 17 Lopez, M.C., see Requena, J.M., 201

Macedo, A.M., Melo, M.N., Gomes, R.F. and Pena, S.D.J., DNA fingerprints: a tool for identification and determination of the relationships between species and strains of *Leishmania*, 63

Maes, P., see Debrabant, A., 89 Magas, L.T., see Sims, S.M., 135 McElwain, T.F., see Mishra, V.S., 149 Mecham, R.P., see Hall, R., 105

Mehlhorn, H., see Eschenbacher, K.-H., 159

Mehta, K., Rao, U.R., Vickery, A.C. and Fesus, L., Identification of a novel transglutaminase from the filarial parasite *Brugia malayi* and its role in growth and development, 1

Melo, M.N., see Macedo, A.M., 63 Meyer, H.E., see Eschenbacher, K.-H., 159 Mishra, V.S., McElwain, T.F., Dame, J.B. and Stephens, E.B., Isolation, sequence and differential expression of the p58 gene family of *Babesia bigemina*, 149 Mongkolsuk, S., see Rosenbergh, R., 129

Nelson, K., see Briones, M.R.S., 121

O'Sullivan, W.J., see Edwards, M.R., 97

Patarroyo, M.E., see Requena, J.M., 201 Pena, S.D.J., see Macedo, A.M., 63

Ramachandran, H., see Shoemaker, C.B., 17 Ranford-Cartwright, L.C., see Foley, M., 241 Rao, U.R., see Mehta, K., 1

Requena, J.M., Jimenez-Ruiz, A., Soto, M., Assiego, R., Santarén, J.F., Lopez, M.C., Patarroyo, M.E. and Alonso, C., Regulation of hsp70 expression in *Trypanosoma cruzi* by temperature and growth phase, 201

Rogers, W.O., Rogers, M.D., Hedstrom, R.C. and Hoffman, S.L., Characterization of the gene encoding sporozoite surface protein 2, a protective *Plasmodium yoelii* sporozoite antigen, 45

Rogers, M.D., see Rogers, W.O., 45

Rosenberg, R., Rungsiwongse, J., Kangsadalampai, S., Sattabongkot, J., Suwanabun, N., Chaiyaroj, S.C. and Mongkolsuk, S., Random mating of natural *Plasmodium* populations demonstrated from individual oocysts, 129

Rüger, W., see Eschenbacher, K.-H., 159 Rungsiwongse, J., see Rosenbergh, R., 129

Sands, W.A. and Kusel, J.R., Changes in the lateral diffusion of fluorescent lipid analogues in the surface membrane of

adult male Schistosoma mansoni, 233 Santarén, J.F., see Requena, J.M., 201 Sattabongkot, J., see Rosenbergh, R., 129 Schofield, P.J., see Edwards, M.R., 97 Selkirk, M.E., see Blackburn, C.C., 79

Shoemaker, C.B., Ramachandran, H., Landa, A., dos Reis, M.G. and Stein, L.D., Alternative splicing of the Schistosoma mansoni gene encoding a homologue of epidermal growth factor receptor, 17

Simmons, D., see Hall, R., 105

Sims, S.M., Magas, L.T., Barsuhn, C.L., Ho, N.F.H., Geary, T.G. and Thompson, D.P., Mechanisms of microenvironmental pH regulation in the cuticle of Ascaris suum, 135

Smith, K., see Fairlamb, A.H., 213 Smith, K., see Fairlamb, A.H., 223 Sommer, I., see Eschenbacher, K.-H., 159 Soto, M., see Requena, J.M., 201 Stein, L.D., see Shoemaker, C.B., 17 Stephens, E.B., see Mishra, V.S., 149 Suwanabun, N., see Rosenbergh, R., 129

Tait, A., see Hall, R., 105 Tartar, A., see Debrabant, A., 89 Thompson, D.P., see Sims, S.M., 135

Ullman, B., see Henderson, D.M., 169

Vickery, A.C., see Mehta, K., 1

Wiegandt, H., see Baumeister, S., 53 Williamson, S., see Hall, R., 105 Wilson, K., see Henderson, D.M., 169 Wizel, B., see Kumar, N., 113

Subject Index

Acetylcholinesterase, 79
Alternative splicing, 17
Antigen, 45
Antigenic variation, 33
Arginine, 97
Arginine dihydrolase pathway, 97
Arsenical drug, 213, 223
Ascaris suum, 135

Babesia, 149

Carbohydrate reserve, 193 cDNA library, 159 Chemotherapy, 169 Cholesteryl sulphate, 71 Circumsporozoite, 129 Cuticle, 135

DNA fingerprints, 63
DNA isolation, 241
DNA sequence, 33
Diamidine, 213
Differential gene expression, 201
Dihydrolipoamide dehydrogenase, 223
Drug effects, 213, 223
Drug resistance, 213, 223

EGF, 17
EGF receptor, 17
Elastin, 105
Embryogenesis, 1
Entamoeba histolytica, 71
Enzyme, 1
Excretory/secretory products, 79

Filaria, 1 Fluidity, 233

Gamete, 113 Gametocyte, 113 Genetics, 129 Giardia intestinalis, 97

HPTLC immunostaining, 53 Heat shock protein, 201 Heterophile antibody, 53

Leishmania, 63 Leishmania donovani, 169, 193 Leishmania tarentolae, 121 Lipoic acid, 223

Malaria, 45, 113, 129, 185
Mannose, 193
Membrane protein, 17
Metabolism and excretion, 135
Metacestode neutral glycolipid, 53
Methylation, 169
Molecular mimicry, 105
Monospecific, polyclonal antibody, 53

Mosaic gene, 33 Multigene family, 149

Nippostrongylus brasiliensis, 79 Nematode, 135 N-terminal amino acid sequencing, 89 Nuclear DNA, 63 Nucleotide sequence, 159

Oocyst, 129 Organic acid, 135 Ornithine, 97

p58, 149
P126, 89
Parasitophorous vacuole, 89
Phenetic tree, 63
Plasmodium, 45
Plasmodium falciparum, 89, 113, 241
Plasmodium-infected erythrocyte, 185
Plasmodium vivax, 129
Point mutation, 33
Polymerase chain reaction, 129, 241
Polysaccharide, 193
Protein export, 185

Receptor-ligand, 105

S-Adenosylhomocysteine hydrolase, 169
S-Adenosylmethionine, 169
Sarcocystis muris, 159
Schistosome, 17
Schistosoma mansoni, 17, 233
Serotonin, 233
Sporozoite, 45
Sporozoite antigen, 105
SSU rRNA gene, 121
Subunit vaccine, 105
Sulphate ester, 71
Sulphate transport, 71
Surface antigen, 159
Surface protein, 149

Taeniidae, 53
Tegument, 233
Theileria annulata, 105
Transcuticular transport, 135
Transglutaminase, 1
Transmission blocking immunity, 113
Trypanosoma brucei, 33
Trypanosoma brucei brucei, 213, 223
Trypanosoma cruzi, 201
Trypanosomatid phylogeny, 121
Trypanothione reductase, 213
Turbo cornutus neogalatriaosylceramide, 53
Tubulin, 201

Variable surface glycoprotein, 33

Wagner tree, 63

•

